

Relocating SQL database

Version: 2024-01-15



IBF – YOUR PARTNER FOR EFFICIENT CE MARKING



1. Safexpert – Relocating SQL database

Please **avoid the export function** when moving the database on the SQL server! Various tables are not included in the database when using this function.

Please use the **Back Up / Restore** function in the **SQL Server Management Studio** tool.

If you are copying the database and not moving it, please switch the previous database to offline (Tasks > Take Offline) before commissioning the new database.

SAFEXPERT 8	2 10			
🗄 🚞 Database (New Database		
🕀 🚞 Tables		New Query		
🕀 🚞 Views		Script Database as	- F	
🕀 🚞 Synonyms		· ·		
🕀 🚞 Programm		Tasks	•	Detach
표 🚞 Service Bro		Policies	•	Take Offline
🕀 🚞 Storage				
🗄 🚞 Security		Facets		Bring Online
Security		Start PowerShell		Shrink •
Server Objects				
Replication		Reports	- E	Back Up
Management		Rename		Restore

• On the new server we need **TCP** / **IP** and the SQL Server Browser service (for instances) for Safexpert to function properly. In addition, we need the component **full text search**.

Database Roles:

• Precondition for the safe operation of Safexpert are the server and the database roles:

Server Roles:

Select a page	Script 🔻 🖪 He	🧻 Database User - safexpert				
General Server Roles Control Securables Status	erver role is used to erver roles: bulkadmin dbcreator diskadmin processadmin public securityadmin serveradmin setupadmin sysadmin	Select a page General Owned Schemas Membership Securaties Extended Properties	Script			



2. License

The license is integrated in the database and independent from the clients. When you move the database, the current database key, that is stored in our system, remains.

3. Customizing the clients on the PC

At the end of the migration, the database path in Safexpert has to be adapted on the clients. You do not need to be logged on to Safexpert to change the instance, server or database.

In the program path "C:\Program Files (x86)\Safexpert" and the windows start menu you will find a program called "SE-Maintenance.exe". This program allows you to change the connections on the "Database" tab.

🚳 Safexpert Maintenance (in market dealers (1997) (1997)		_		\times		
Modules Logging Service data	Database						
Database connection							
Database type:	MS SQL Server (Windows Authentication) $\qquad \qquad \lor$	Test database connection					
Database path:	SAFEXPERT						
Database:	SAFEXPERT SAFEXPERT						
Server:	localhost	Port:	0				
User name:							
Password:			Save				

In case of a larger number of clients, the "Config.xml", found in the path "C:\ProgramData\Safexpert\9.X", can also be modified and distributed.